

Herefordshire PCT's Performance Against Vital Signs - 2008-09

Tier	Currency of Measurement	Local Performance compared to National Perf.			Care Quality Commission's view of performance		
					Below expected	As expected	Above expected
Tier 1							
VS 1 Clostridium Difficile	%	88.29	74.57	↑		•	
VS 2 Proportion of patients seen within 18 weeks for admitted pathways	%	95.30	92.91	↑			•
VS 3 Access to primary care	%	89.79	85.13	↑			•
VS 4 Proportion of women screened for breast cancer (aged 53-70)	%	81.24	75.92	↑		•	
VS 5 Proportion of patients waiting no more than 31 days for subsequent cancer	%	96.05	97.41	↓		•	
VS 6 Proportion of patients with suspected cancer waiting less than 62 days	%	85.83	88.25	↓		•	
VS 7 Implementation of the stroke strategy	%	23.29	47.31	↓	•		
Tier 2							
VS 8 All age all cause mortality rate per 100,000 population (females)	Directly Standardised rate	456.22	492.79	↓			•
VS 9 All age all cause mortality rate per 100,000 population (males)	Directly Standardised rate	654.33	695.59	↓			•
VS 10 Cardiovascular disease (CVD) mortality rate (people aged 75 or less)	Directly Standardised rate	66.89	72.18	↓		•	
VS 11 Cancer mortality rate (people aged 75 or less)	Directly Standardised rate	104.12	114.10	↓			•
VS 12 Suicide and injury of undetermined intent mortality rate	Directly Standardised rate	9.24	-	-		•	
VS 13 Smoking quit rates	Smoking Quit rate	823.70	-	-		•	
VS 14 Proportion of women assessed by 12 weeks of pregnancy	%	92.05	77.35	↑			•
VS 15 Under 18 conception rate per 1,000 females aged 15 to 17	Rate per 1,000	40.00	41.08	↓		•	
VS 16 Obesity among primary school aged children (reception year)	%	8.91	9.65	↑		•	
VS 17 Obesity among primary school aged children (year 6)	%	16.24	18.44	↑			•
VS 18 Proportion of children who complete immunisation by recommended ages	%	85.24	84.03	↑		•	
VS 19 Proportion of infants breastfed at 6 - 8 weeks	%	100.00	81.34	↑			•
VS 20 Commissioning a comprehensive child and adolescent mental health service	%	100.00	86.64	↑			•
VS 21 Chlamydia screening (as a proxy for chlamydia prevalence)	%	11.29	15.90	↓	•		
VS 22 Number of drug users recorded as being in effective treatment	%	87.58	85.23	↑		•	
VS 23 Self reported experience of patients	National Score	304.66	301.37	↑		•	
VS 24 NHS staff survey scores-based measures of job satisfaction	National Score	3.56	3.57	↓		•	
VS 25 Access to primary dental services	%	51.76	53.83	↓		•	
Tier 3							
VS 26 NHSLA PCT standards, risk management assessment levels	Level	1B	-	-			
VS 27 Adults (aged 18 and over) assisted to live independently	Rate per 100,000	2988.71	3143.05	↓		•	
VS 28 Number of delayed transfers of care per 100,000 population (aged 18 and over)	Rate per 100,000	28.52	10.82	↓	•		
VS 29 Timeliness of social care assessment	%	92.23	79.53	↑			•
VS 30 Timeliness of social care packages	%	84.72	90.94	↓	•		
VS 31 Proportion of all deaths that occur at home	%	20.82	-	-			•
VS 32 Adults receiving direct payments / individual budgets per 100,000 population	Rate per 100,000	106.60	166.57	↓	•		
VS 33 Proportion of carers receiving a 'carer's break' or a specific service for carers	%	11.97	21.96	↓	•		
VS 34 Proportion of total admissions that have ambulatory care sensitive diagnoses	%	11.39	-	-		•	
VS 35 Vascular risk score	%	100.00	64.35	↑			•
VS 36 Rate of hospital admissions per 10,000 population for alcohol related harm	Directly Standardised rate	1239.92	1384.04	↓		•	
VS 37 Rate of deliberate or unintended injuries to people aged under 19 (per 10,000)	Rate of Injuries	122.48	-	-		•	
VS 38 Proportion of patients with diabetes in whom the last HbA1c is 7.5 or less from QOF	%	68.63	66.80	↑		•	